



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 1 of 13

**The following merchandise was (were) submitted and identified by the client as :**

Type of Product : MLCC 0603  
Sample Received : 2005/01/14  
Testing Date : 2005/01/14 TO 2005/01/21

=====  
**Test Result** : - Please see the next page -

  
Daniel Yeh, M.R. / Operation Manager  
Signed for and on behalf of  
SGS TAIWAN LTD.



# Test Report

SKYWELL ELECTRONICS CORP.  
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A  
Date : 2005/01/21  
Page : 2 of 13

## Test Result

PART NAME NO.1 : MIXED ALL PARTS (PLEASE REFER TO THE PHOTO ATTACHED)

Test Item (s):	Unit	Method	MDL	Result
				No.1
Asbestos				
Anthrophyllite(CAS NO.017068-78-9)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Crocodolite(CAS NO.012001-28-4)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Amosite(CAS NO.012172-73-5)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Tremolite(CAS NO.014567-73-8)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Chrysotile(CAS NO.012001-29-5)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative
Actinolite(CAS NO.013768-00-8)	**	As per NIOSH 9000 method. Analysis was performed by XRD.	-	Negative

Test Item (s):	Unit	Method	MDL	Result
				No.1
AZO		As per LMBG 8202-2		
4-AMINODIPHENYL (CAS NO.92-67-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
BENZIDINE (CAS NO.92-87-5)	ppm	Analysis was performed by GC/MS.	3	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 3 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
4-CHLORO-O-TOLUIDINE (CAS NO.95-69-2)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-NAPHTHYLAMINE (CAS NO.91-59-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-AMINOAZOTOLUENE (CAS NO.97-56-3)	ppm	Analysis was performed by GC/MS.	3	N.D.
2-AMINO-4-NITROTOLUENE (CAS NO.99-55-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CHLOROANILINE (CAS NO.106-47-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-DIAMINOANISOLE (CAS NO.615-05-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4- DIAMINODIPHENYLMETHA NE (CAS NO.101-77-9)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DICHLOROBENZIDINE (CAS NO.91-94-1)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHOXYBENZIDINE (CAS NO.119-90-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
3,3-DIMETHYL-4,4- DIAMINODIPHENYLMETHA NE (CAS NO.838-88-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-CRESIDINE(2-METHOXY- 5-METHYLANILINE) (CAS NO.120-71-8)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-METHYLENE-BIS-(2- CHLORANILINE) (CAS NO.101-14-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-OXYDIANILINE (CAS NO.101-80-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
4,4-THIODIANILINE (CAS NO.139-65-1)	ppm	Analysis was performed by GC/MS.	3	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 4 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
O-TOLUIDINE (CAS NO.95-53-4)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4-TOLUYLENDIAMINE (CAS NO.95-80-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
2,4,5-TRIMETHYLANILINE (CAS NO.137-17-7)	ppm	Analysis was performed by GC/MS.	3	N.D.
O-ANISIDINE (CAS NO.90-04-0)	ppm	Analysis was performed by GC/MS.	3	N.D.
P-AMINOAZOBENZENE (CAS NO.60-09-3)	ppm	Analysis was performed by GC/MS.	3	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
CFC's(Chlorofluorocarbons)		With reference to US EPA 8260.		
Group I				
Chlorofluorocarbon-11(CAS No:000075-69-4)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-12(CAS No:000075-71-8)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-113(CAS No:000076-13-1)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-114(CAS No:000076-14-2)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-115(CAS No:000076-15-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Group III				
Chlorofluorocarbon-13(CAS No:000075-72-9)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 5 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chlorofluorocarbon-111(CAS No:000354-56-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-112(CAS No:000076-12-0)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-211(CAS No:135401-87-5)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-212(CAS No:076564-99-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-213(CAS No:060285-54-3)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-214(CAS No:002268-46-4)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-215(CAS No:000076-17-5)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-216(CAS No:001652-80-8)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Chlorofluorocarbon-217(CAS No:000422-86-6)	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Chlorinated Paraffin (C10~C13) (CAS NO:010871-26-2)	%	Analysis was performed by GC/MS.	0.01	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 6 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Formaldehyde(CAS No:000050-00-0)	ppm	With reference to DIN 53315 & USEPA 8315A. Analysis was performed by HPLC/DAD/MS	0.2	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Halon		With reference to US EPA 8260.		
Halon-1211	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Halon-1301	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.
Halon-2402	ppm	Analysis was performed by GC/MS. [CFC's (Chlorofluorocarbons)]	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
HCFC's(Hydrogenated chlorofluorocarbons)		With reference to US EPA 8260.		
Hydrochlorofluorocarbon-21(CAS No.:000075-43-4)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-22(CAS No.:000075-45-6)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-31(CAS No.:000593-70-4)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 7 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-121(CAS No.:000354-14-3)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-122(CAS No.:000354-21-2)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-123(CAS No.:000306-83-1)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-124(CAS No.:002837-89-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-131(CAS No.:000359-28-4)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-131b(CAS No.:000471-43-2)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-133a(CAS No.:000075-88-7)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-141b(CAS No.:001717-00-6)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-221	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 8 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-222(CAS No.:000422-30-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-223	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-224	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-225ca(CAS No.:000422-56-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-225cb(CAS No.:000507-55-1)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-226(CAS No.:000431-87-8)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-231	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-232	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-233	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company





# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 9 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-234	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-235(CAS No.:013838-16-9)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-241	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-242	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-243(CAS No.:000338-75-0)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-244	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-251	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-252	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-253(CAS No.:000354-06-1)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.  
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 10 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Hydrochlorofluorocarbon-261(CAS No.:000420-97-3)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-262(CAS No.:000420-97-3)	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.
Hydrochlorofluorocarbon-271	ppm	Analysis was performed by GC/MS. [HCFC's (Hydrogenated chlorofluorocarbons)]	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Mirex(CAS NO:002385-85-5)	ppm	Analysis was performed by GC/MS.	4	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
1,1,1-trichloroethane	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS.	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Organic-tin compounds				
Triphenyl Tin(TPT)(CAS NO:000668-34-8)	ppm	With reference to 83/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.
Tributyl Tin(TBT)	ppm	With reference to 83/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.03	N.D.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 11 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Carbon tetrachloride	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS/HEADSPACE.	1	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to USEPA 8082A. Analysis was performed by GC/ECD/MS.	0.5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
Polychlorinated Naphthalene	ppm	With reference to USEPA 8081B. Analysis was performed by GC/MS.	5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PCTs(Polychlorinated Terphenyls)	ppm	Analysis was performed by GC/ECD/MS.	0.5	N.D.

Test Item (s):	Unit	Method	MDL	Result
				No.1
PVC free(CAS No:9002-86-2)	**	Analysis was performed by FTIR/ATR and Pyro-GC/MS.	-	Negative

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



# Test Report

SKYWELL ELECTRONICS CORP.  
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 12 of 13

Test Item (s):	Unit	Method	MDL	Result
				No.1
Halogen		As per EN14582 method B.		
Halogen-Chlorine (Cl)(CAS No:007782-50-5)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	360.0
Halogen-Fluorine (F)(CAS No:007782-41-4)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	N.D.
Halogen-Bromine (Br)(CAS No:007726-95-6)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, the absorb solution was analyzed by IC method.	50	N.D.
Halogen-Iodine (I)(CAS No:007553-56-2)	ppm	Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it, analyzed by ICP.	50	N.D.

- NOTE: (1) N.D. = Not detected (<MDL)  
(2) ppm = mg/kg  
(3) MDL = Method Detection Limit  
(4) " --- " = Not Applicable  
(5) " - " = No Regulation  
(6) \* = Results shown are of the adjusted analytical results  
(7) \*\* = Qualitative analysis (No Unit)  
(8) Negative = Undetectable / Positive = Detectable

## Test Report


SKYWELL ELECTRONICS CORP.

10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN, R. O. C.

Report No. : CE/2005/12358A

Date : 2005/01/21

Page : 13 of 13

A large, dark rectangular area containing the text 'CE/2005/12358' in a bold, white, sans-serif font. Below the text, there is a small, faint, circular image of a component, possibly a microchip or a small electronic part, which is the subject of the test report.

**CE/2005/  
12358**