



Test Report


SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 1 of 16

The following merchandise was(were) submitted and identified by the client as :

Type of Product : MLCC 1206
Sample Received : 2004/03/01.
Testing Date : 2004/03/01 TO 2004/03/08

=====
Test Result : - Please see the next page -


Daniel Yeh, M.R. / Operation Manager
Signed for and on behalf of
SGS TAIWAN LTD.

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 2 of 16

Test Result

PART NAME NO.1 : BROWN/SILVER COLORED METAL PELLETS

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Asbestos								
Anthrophyllite(CAS NO.017068-78-9)	**	HEALTH CANADA- PRODUCT SAFETY BUREAU REFERENCE MANUAL BOOK5-LABORATORY POLICIES AND PROCEDURE(FTIR).	-	Negative				
Crocidolite(CAS NO.012001-28-4)	**	HEALTH CANADA- PRODUCT SAFETY BUREAU REFERENCE MANUAL BOOK5-LABORATORY POLICIES AND PROCEDURE(FTIR).	-	Negative				
Amosite(CAS NO.012172-73-5)	**	HEALTH CANADA- PRODUCT SAFETY BUREAU REFERENCE MANUAL BOOK5-LABORATORY POLICIES AND PROCEDURE(FTIR).	-	Negative				
Tremolite(CAS NO.014567-73-8)	**	HEALTH CANADA- PRODUCT SAFETY BUREAU REFERENCE MANUAL BOOK5-LABORATORY POLICIES AND PROCEDURE(FTIR).	-	Negative				
Chrysotile(CAS NO.012001-29-5)	**	HEALTH CANADA- PRODUCT SAFETY BUREAU REFERENCE MANUAL BOOK5-LABORATORY POLICIES AND PROCEDURE(FTIR).	-	Negative				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 3 of 16

Test Item(s):	Unit	Method	MDL	Result					
				NO.1					
AZO									
4-AMINODIPHENYL (CAS NO.92-67-1)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
BENZIDINE (CAS NO.92-87-5)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
4-CHLORO-O-TOLUIDINE (CAS NO.95-69-2)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
2-NAPHTHYLAMINE (CAS NO.91-59-8)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
O-AMINOAZOTOLUENE (CAS NO.97-56-3)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
2-AMINO-4-NITROTOLUENE (CAS NO.106-47-8)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
2,4-DIAMINOANISOLE (CAS NO.615-05-4)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
4,4-DIAMINODIPHENYLMETHANE (CAS NO.101-77-9)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
3,3-DICHLOROBENZIDINE (CAS NO.91-94-1)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
3,3-DIMETHOXYBENZIDINE	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
3,3-DIMETHYLBENZIDINE (CAS NO.119-93-7)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
3,3-DIMETHYL-4,4-DIAMINODIPHENYLMETHANE (CAS NO.838-88-0)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
P-CRESIDINE(2-METHOXY-5-METHYLANILINE) (CAS NO.120-71-8)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					
4,4-METHYLENE-BIS-(2-CHLORANILINE) (CAS NO.101-14-4)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.					

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 4 of 16

4,4-OXYDIANILINE (CAS NO.101-80-4)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
4,4-THIODIANILINE (CAS NO.139-65-1)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
O-TOLUIDINE (CAS NO.95-53-4)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
2,4-TOLUYLENDIAMINE (CAS NO.95-80-7)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
2,4,5-TRIMETHYLANILINE (CAS NO.137-17-7)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
O-ANISIDINE (CAS NO.90-04-0)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
P-AMINOAZOBENZENE (CAS NO.60-09-3)	ppm	AZO As per LMBG 8202-2 (GC/MS).	3	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
CFC's(Chlorofluorocarbons)				NO.1				
Group I								
Chlorofluorocarbon-11(CAS No:000075-69-4)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-12(CAS No:000075-71-8)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-113(CAS No:000076-13-1)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 5 of 16

Chlorofluorocarbon-114(CAS No:000076-14-2)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-115(CAS No:000076-15-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Group III								
Chlorofluorocarbon-13(CAS No:000075-72-9)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-111(CAS No:000354-56-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-112(CAS No:000076-12-0)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-211(CAS No:135401-87-5)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
 10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
 R.O.C.

Report No : CE/2004/30046A
 Date : 2004/03/08
 Page : 6 of 16

Chlorofluorocarbon-212(CAS No:076564-99-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-213(CAS No:060285-54-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-214(CAS No:002268-46-4)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-215(CAS No:000076-17-5)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-216(CAS No:001652-80-8)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Chlorofluorocarbon-217(CAS No:000422-86-6)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Chlorinated Paraffin (C10~C13) (CAS NO:010871-26-2)	%	Analysis was performed by GC/MS.	0.01	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
 10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
 R.O.C.

Report No : CE/2004/30046A
 Date : 2004/03/08
 Page : 7 of 16

Test Item(s):	Unit	Method	MDL	Result					
				NO.1					
Halon									
Halon-1211(CAS No:000353-59-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.					
Halon-1301(CAS No:000075-63-8)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.					
Halon-2402(CAS No:000124-73-1)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(CFC's(Chlorofluorocarbons))	1	N.D.					
Test Item(s):	Unit	Method	MDL	Result					
				NO.1					
HCFC's(Hydrogenated chlorofluorocarbons)									
Hydrochlorofluorocarbon-21(CAS No.:000075-43-4)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.					
Hydrochlorofluorocarbon-22(CAS No.:000075-45-6)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.					

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 8 of 16

Hydrochlorofluorocarbon-31(CAS No.:000593-70-4)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-121(CAS No.:000354-14-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-122(CAS No.:000354-21-2)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-123(CAS No.:000306-83-1)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-124(CAS No.:002837-89-0)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 9 of 16

Hydrochlorofluorocarbon-131(CAS No.:000359-28-4)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-131b(CAS No.:000471-43-2)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-133a(CAS No.:000075-88-7)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-141b(CAS No.:001717-00-6)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-221	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 10 of 16

Hydrochlorofluorocarbon-222(CAS No.:000422-30-0)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-223	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-224	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-225ca(CAS No.:000422-56-0)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-225cb(CAS No.:000507-55-1)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 11 of 16

Hydrochlorofluorocarbon-226(CAS No.:000431-87-8)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-231	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-232	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-233	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-234	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 12 of 16

Hydrochlorofluorocarbon-235(CAS No.:013838-16-9)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-241	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-242	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-243(CAS No.:000338-75-0)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-244	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 13 of 16

Hydrochlorofluorocarbon-251	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-252	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-253(CAS No.:000354-06-1)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-261(CAS No.:000420-97-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Hydrochlorofluorocarbon-262(CAS No.:000420-97-3)	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 14 of 16

Hydrochlorofluorocarbon-271	ppm	With reference to US EPA 8260. Analysis was performed by GC/MS linked Headspace.(HCFC's(Hydrogenated chlorofluorocarbons))	1	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Mirex(CAS NO:002385-85-5)	ppm	Analysis was performed by GC/MS.	4	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
Organic-tin compounds								
Triphenyl Tin(TPT)(CAS NO:000668-34-8)	ppm	With reference to 83/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.001	N.D.				
Tributyl Tin(TBT)	ppm	With reference to 83/677/EEC & DIN 38407. Analysis was performed by GC/FPD.	0.001	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PBBs(Polybrominated biphenyls)(CAS NO:67774-32-7)	ppm	With reference to 83/264/EEC. Analysis was performed by GC/ECD/MS or HPLC/DAD/MS.	5	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PBBEs(PBDEs)(Polybrominated biphenyl ethers)	ppm	With reference to 83/264/EEC. Analysis was performed by GC/ECD/MS or HPLC/DAD/MS.	5	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
R.O.C.

Report No : CE/2004/30046A
Date : 2004/03/08
Page : 15 of 16

Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PCBs(Polychlorinated Biphenyls)(CAS NO:001336-36-3)	ppm	With reference to US EPA 8082,89/677/EEC. Analysis was performed by GC/ECD/MS.	0.5	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
NO.1								
Polychlorinated Naphthalene	ppm	Analysis was performed by GC/MS.	5	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
NO.1								
PCTs(Polychlorinated Terphenyls)	ppm	With reference to US EPA 8082,89/677/EEC. Analysis was performed by GC/ECD/MS.	0.5	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
NO.1								
Halogen								
Halogen-Chlorine (Cl)(CAS No:007782-50-5)	ppm	As per prEN14582 method B.(Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , The absorb solutiouon was analyzed by IC method)	50	700.0				
Halogen-Fluorine (F)(CAS No:007782-41-4)	ppm	As per prEN14582 method B(Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , The absorb solutiouon was analyzed by IC method)	50	N.D.				

The content of this PDF file is in accordance with the original issued reports for reference only. This Test Report cannot be reproduced, except in full, without prior written permission of the Company



Test Report

SKYWELL ELECTRONICS CORP.
 10-1, NO. 161, KUNGYI RD., TAICHUNG, TAIWAN,
 R.O.C.

Report No : CE/2004/30046A
 Date : 2004/03/08
 Page : 16 of 16

Halogen-Bromine (Br)(CAS No:007726-95-6)	ppm	As per prEN14582 method B.(Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , The absorb solutiouon was analyzed by IC method)	50	N.D.				
Halogen-Iodine (I)(CAS No:007553-56-2)	ppm	As per prEN14582 method B.(Filling the oxygen and absorb solution in the flask and take sample in the flask and burn it , analyzed by ICP)	50	N.D.				
Test Item(s):	Unit	Method	MDL	Result				
				NO.1				
PVC free(CAS No:9002-86-2)	**	Analysis was performed by FTIR/ATR AND Pyro-GC/MS.	-	Negative				

- NOTE : (1) N.D. = Not detected.(<MDL)
 (2) ppm = mg/kg
 (3) MDL= Method Detection Limit
 (4) " ---" = Not Applicable
 (5) " -" = Not Regulation
 (6) * = Results shown are of the adjusted analytical results.
 (7) **= Qualitative analysis(No Unit)
 (8) Negative = Undetectable / Positive = Detectable.

- END -